


测温枪类




型号: 12080
尺寸: $\varnothing 12$
焦距: 8mm
感应角度: 35°
感应距离: 10m



型号: 13250
尺寸: $\varnothing 13$
焦距: 25mm
感应角度: 8°
感应距离: 15m




型号: 1620
尺寸: $\varnothing 16.8$
焦距: 20mm
感应角度: 10°
感应距离: 20m



型号: 1719
尺寸: $\varnothing 16.8$
焦距: 19mm
感应角度: 10°
感应距离: 20m



型号: 20200
尺寸: $\varnothing 20$
焦距: 20mm
感应角度: 10°
感应距离: 20m



型号: 20360
尺寸: $\varnothing 20$
焦距: 36mm
感应角度: 6°
感应距离: 22m




型号: 22200
尺寸: $\varnothing 22$
焦距: 20mm
感应角度: 30°
感应距离: 22m



型号: 25400
尺寸: $\varnothing 25$
焦距: 40mm
感应角度: 6°
感应距离: 25m


壁挂片模




型号: 2220-251
尺寸: $\varnothing 22$
焦距: 24mm
感应角度: 50°
感应距离: 16m




型号: 22203
尺寸: $\varnothing 22$
焦距: 20mm
感应角度: 45°
感应距离: 15m




型号: 2218
尺寸: $\varnothing 22$
焦距: 18mm
感应角度: 45°
感应距离: 20m



型号: 2224-03
尺寸: $\varnothing 21.9$
焦距: 20mm
感应角度: 55°
感应距离: 16m



型号: YY-2308
尺寸: 8.6×23.5
焦距: 7.6mm
感应角度: 120°
感应距离: 7M




型号: YY-2312
尺寸: 12×23.5
焦距: 10mm
感应角度: 80°
感应距离: 10m




型号: YY-1022
尺寸: 22×10
焦距: 10mm
感应角度: 80°
感应距离: 10m



型号: YY-3925-20
尺寸: 39×24.8
焦距: 20mm
感应角度: 35°
感应距离: 16.5m



型号: SB2512
尺寸: 25.5×12.5
焦距: 11mm
感应角度: 100°
感应距离: 11m



型号: YY5528
尺寸: 55×28.8
焦距: 25mm
感应角度: 140°
感应距离: 16m



型号: 7707-3A
尺寸: 77.4*36.2
焦距: 25mm
感应角度: 180°
感应距离: 16m



型号: 7803-1
尺寸: 39*25
焦距: 20mm
感应角度: 80°
感应距离: 9m



型号: 7805-1
尺寸: 57*36
焦距: 22mm
感应角度: 100 °
感应距离: 10m



型号: 7809-5
尺寸: 43.3*24.5
焦距: 25mm
感应角度: 80°
感应距离: 10m



型号: 8719-A
尺寸: 53.5*31
焦距: 25mm
感应角度: 90 °
感应距离: 10m



型号: BV-100DP
尺寸: 43.2*19.7
焦距: 30mm
感应角度: 15 °
感应距离: 12m



型号: SIR 650
尺寸: 46*20
焦距: 30mm
感应角度: 15 °
感应距离: 12m



型号: YY-AA-V1
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 155°
感应距离: 15m



型号: YY-EWA-V2
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 140°
感应距离: 15m




型号: YY-LR-V2
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 154°
感应距离: 28m




型号: YY-EWA-V3
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 140°
感应距离: 15m




型号: YY-DWA-V2
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 101°
感应距离: 9m




型号: YY-DWA-V1
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 101°
感应距离: 10m



型号: YY-AA-12-V1
尺寸: 42.6*61
焦距: 30.5mm
感应角度: 100°
感应距离: 12m




型号: YY-7526-25
尺寸: 74.82*25.7
焦距: 25mm
感应角度: 180°
感应距离: 18m



型号: YY-3468
尺寸: 34*68
焦距: 25mm
感应角度: 150°
感应距离: 15m




型号: YY-6531
尺寸: 63.3*51.15
焦距: 25mm
感应角度: 120°
感应距离: $\geq 10m$




型号: 8202-1
尺寸: 38.2*21.5
焦距: 16mm
感应角度: 120°
感应距离: 12m



型号: 8526-1
尺寸: 84.7*25.6
焦距: 23mm
感应角度: 120°
感应距离: 14m



型号: 7703-1
尺寸: 61*42.7
焦距: 30.5mm
感应角度: 83°
感应距离: 15m



型号: 7809-2
尺寸: 56.3*43.7
焦距: 25mm
感应角度: 100°
感应距离: 12m



型号: YY-6034-30
尺寸: 60*34
焦距: 30mm
感应角度: 90°
感应距离: 20m



型号: SIR 650P
尺寸: 59.5*39
焦距: 30mm
感应角度: 90-100°
感应距离: 12m



型号: 7708-1
尺寸: 57.3*44.6
焦距: 29.7mm
感应角度: 90°
感应距离: 10m



型号: 7708-3
尺寸: 58*45
焦距: 29.7mm
感应角度: 80 °
感应距离: 14m



型号: 7704-3
尺寸: 56.7*35.7
焦距: 23mm
感应角度: 110°
感应距离: 12m



型号: 8719
尺寸: 53.5*34
焦距: 25mm
感应角度: 90 °
感应距离: 10m




型号: 8203-1
尺寸: 56*44
焦距: 25mm
感应角度: 110°
感应距离: 12m



型号: 614230
尺寸: 60.7*42.4
焦距: 30.5mm
感应角度: 90 °
感应距离: 12m



型号: 8501-2G
尺寸: 76*36
焦距: 21mm
感应角度: 120°
感应距离: 12m



型号: 7707-1A
尺寸: 91.3*39.5
焦距: 25mm
感应角度: 180°
感应距离: 16m




型号: 8202
尺寸: 62.5*25
焦距: 16mm
感应角度: 120°
感应距离: 12m



型号: 7707-5A
尺寸: 73.8*26.2
焦距: 25mm
感应角度: 150 °
感应距离: 20m



型号: 5430
尺寸: 54*30
焦距: 23mm
感应角度: 120°
感应距离: 15m



型号: 7707-B
尺寸: 39.5*85.3
焦距: 25mm
感应角度: 180°
感应距离: 16m



型号: 7707
尺寸: 91.3*39.5
焦距: 25mm
感应角度: 180°
感应距离: 16m



型号:WL-NK-04
尺寸: 54*25
焦距: 12mm
感应角度: 120°
感应距离: 8m



型号: 86000
尺寸: 41.7*60
焦距: 30mm
感应角度: 90°
感应距离: 15m



型号: LD-002
尺寸: 44.65*151.3
焦距: 25mm
感应角度: 270°
感应距离: 15m




型号: AF-2430
尺寸: 116.5*38
焦距: 30mm
感应角度: 180°
感应距离: 20m
2 颗 PIR



型号:8501-5
尺寸: 76*36.2
焦距: 20mm
感应角度: 120°
感应距离: 10m



型号:GB-01-3640
尺寸: $\varnothing 40$
焦距: 12mm
感应角度: 90°
感应距离: 12-16m



型号:YY-6434
尺寸: 34*64
焦距: 20mm
感应角度: 160°
感应距离: 22m



型号:YY-3468
尺寸: 68*34
焦距: 25mm
感应角度: 150°
感应距离: 15m




型号:YY-6034-30
尺寸: 34*60
焦距: 30mm
感应角度: 90°
感应距离: 20m




型号:YY-180
尺寸: 39*90
焦距: 25.7mm
感应角度: 180°
感应距离: 20m




型号:YY-3468-G
尺寸: 30*60
焦距: 25mm
感应角度: 150°
感应距离: 15m




型号:YY-DL30
尺寸: 30.4*20.4
焦距: 35mm
感应角度: 30°
感应距离: 35-40m




型号:YY-DL45
尺寸: 30.4*20.4
焦距: 25mm
感应角度: 45°
感应距离: 25-30m



型号:YY-DL60
尺寸: 37.4*20.4
焦距: 25mm
感应角度: 60°
感应距离: 25-30m



型号:YY-DL90
尺寸: 45.4*20.4
焦距: 25mm
感应角度: 90°
感应距离: 25-30m



型号:YY-DL-50M
尺寸: 35*25
焦距: 50mm
感应角度: 3.5°
感应距离: 50m




型号:YY-DL120
尺寸: 60*25
焦距: 25mm
感应角度: 120°
感应距离: 25-30m

壁挂 $\leq 1.5\text{m}$ (门铃、小夜灯类)



型号: 008140
尺寸: $\varnothing 13.2 \times 5.5$
焦距: 5.5mm
感应角度: 90°
感应距离: 4m



型号: 008140-G
尺寸: $13.2 \times 10 \times 5.5$
焦距: 5.5mm
感应角度: 90°
感应距离: 4m



型号: 13120
尺寸: $\varnothing 13.5 \times 9.4$
焦距: 6mm
感应角度: 120°
感应距离: 6m



型号: 13120F-2
尺寸: $\varnothing 12.5 \times 10.6$
焦距: 6mm
感应角度: 120°
感应距离: 6m



型号: 13120F
尺寸: $\varnothing 14 \times 10.4$
焦距: 6mm
感应角度: 120°
感应距离: 5-6m



型号: 011050
尺寸: $\varnothing 11.8 \times 9.9$
焦距: 5mm
感应角度: 120°
感应距离: 5-6m



型号: 8120-1
尺寸: $\varnothing 13.1 \times 7.2$
焦距: 6mm
感应角度: 120°
感应距离: 2m



型号: N0803-32
尺寸: $\varnothing 16 \times 6$
焦距: 6mm
感应角度: 120°
感应距离: 5m




型号: 8006
尺寸: 10.9×7.14
焦距: 4mm
感应角度: 120°
感应距离: 5m




型号: 8120-2
尺寸: $\varnothing 10.1 \times 9$
焦距: 5.2mm
感应角度: 90°
感应距离: 5m




型号: 011050-G
尺寸: $\varnothing 11.8 \times 9.73$
焦距: 5mm
感应角度: 120°
感应距离: 5-6m



型号: 8307-2
尺寸: $18.7 \times 18.7 \times 4$
焦距: 8mm
感应角度: 70°
感应距离: 6m



型号: 13120F-4
尺寸: $\Phi 14.2$
焦距: 6mm
感应角度: 120°
感应距离: 6m




型号: YY-1102
尺寸: $\Phi 14$
焦距: 6mm
感应角度: 130°
感应距离: 6m



型号: YY-4900
尺寸: 29*16
焦距: 8mm
感应角度: 110°
感应距离: 7m



型号: YY-2308
尺寸: 8.6*23.5
焦距: 7.6mm
感应角度: 120°
感应距离: 7M



型号: YY-2312
尺寸: 12*23.5
焦距: 10mm
感应角度: 80°
感应距离: 10m



型号: YY-1022
尺寸: 22*10
焦距: 10mm
感应角度: 80°
感应距离: 10m




型号: YY-0709
尺寸: 9*11
焦距: 3mm
感应角度: 100°
感应距离: 5M



型号: YY-2230
尺寸: 29.74*20.39
焦距: 6mm
感应角度: 120°
感应距离: 5m



型号: 8308-8G
尺寸: 10.4*9.5
焦距: 4mm
感应角度: 40°
感应距离: 5m



型号: SB2512
尺寸: 25.5*12.5
焦距: 11mm
感应角度: 100°
感应距离: 11m



型号: 13120F-3
尺寸: $\Phi 14*10.4$
焦距: 6mm
感应角度: 120°
感应距离: 8m



型号: N0803-32-4
尺寸: $\Phi 15.7*7.81$
焦距: 6mm
感应角度: 120°
感应距离: 6m




型号: 13120F-5
尺寸: $\Phi 13.7 \times 6.6$
焦距: 6mm
感应角度: 120°
感应距离: 7m



型号: 8308-7
尺寸: 12.8×14
焦距: 7.5mm
感应角度: 90°
感应距离: 7m



型号: 2134-1
尺寸: $26.8 \times 15 \times 17.1$
焦距: 7.5mm
感应角度: 120°
感应距离: 5m



型号: 2136-1
尺寸: $23.8 \times 16.3 \times 13.1$
焦距: 7.5mm
感应角度: 120°
感应距离: 5m



型号: 2135-1
尺寸: $25 \times 15 \times 17$
焦距: 7.5mm
感应角度: 120°
感应距离: 6m



型号: AL23
尺寸: $34.5 \times 20 \times 10.5$
焦距: 20mm
感应角度: 水平 120°
感应距离: 7-10m



型号: 8308-6
尺寸: 13.6×15.5
焦距: 9.6mm
感应角度: 90°
感应距离: 8m



型号: 8308-2
尺寸: $\Phi 11.5 \times 14.5$
焦距: 6mm
感应角度: 60°
感应距离: 5m



型号: 8121-2
尺寸: $\Phi 9.8$
焦距: 5.2mm
感应角度: 120°
感应距离: 9m



型号: 8121-5
尺寸: $\Phi 9.8$
焦距: 5.2mm
感应角度: 120°
感应距离: 8m



型号: YY-788
尺寸: 7.8×5.2
焦距: 1.75mm
感应角度: 90°
感应距离: 4m



型号: LQ-01
尺寸: $\Phi 15.57 \times 8.45$
焦距: 4mm
感应角度: 90°
感应距离: 2-3m



型号: SB-3611
尺寸: 35.3*10.7
焦距: 7mm
感应角度: 120°
感应距离: 6m



型号: YY-1010
尺寸: 12*12*2.3
焦距: 5mm
感应角度: 100°
感应距离: 2m



型号: ZMD-2211
尺寸: 22*11*3.9
焦距: 4mm
感应角度: 90°
感应距离: 5m



型号: HG2408
尺寸: 26*2.6
焦距: 6mm
感应角度: 100°
感应距离: 7m



型号: YY-1608
尺寸: Ø17.5
焦距: 7mm
感应角度: 120°
感应距离: 6m



型号: MD-3911
尺寸: 38.56*10.1*9.056
焦距: 10mm
感应角度: 120°
感应距离: 8m




型号: ZMD-3615-9
尺寸: 35.8*14.8*8.3
焦距: 5.7mm
感应角度: 120°
感应距离: 7m



型号: 8120-11
尺寸: Ø9.6*8.1
焦距: 3.4mm
感应角度: 90°
感应距离: 5m



型号: ZMD-136
尺寸: 59.2*27*8.8
焦距: 8mm
感应角度: 150°
感应距离: 8m
3 颗 PIR



型号: 5526-21
尺寸: 55*26.4*28.7
焦距: 21mm
感应角度: 120°
感应距离: 10m




型号:ZW-01
尺寸: 13.4*6.94
焦距: 4mm
感应角度: 120°
感应距离: 6m



型号:8120-10
尺寸: $\varnothing 9.91 \times 6.3$
焦距: 5.2mm
感应角度: 120°
感应距离: 5m



型号:PN-08-4G
尺寸: 15.21*14.95*5.48
焦距: 4mm
感应角度: 90°
感应距离: 3m



型号: 8003-4
尺寸: $\varnothing 23.2 \times 18.8$
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号: LC-2818
尺寸: 31.3*27.7*19.9
焦距: 13mm
感应角度: 120°
感应距离: 10m



型号: ZMD-2020-8
尺寸: $\varnothing 20 \times 9.2$
焦距: 5mm
感应角度: 120°
感应距离: 5m



型号:A-17615
尺寸: 18.5*17.6*3.7
焦距: 15mm
感应角度: 30°
感应距离: 12m




型号:ZMD-155
尺寸: 33.05*17.45*4.5
焦距: 8mm
感应角度: 100°
感应距离: 10m



型号: YY-0926
尺寸: $\varnothing 17$
焦距: 9mm
感应角度: 90°
感应距离: 6m



型号:LTX-01
尺寸: $\varnothing 33.05 \times 9.75$
焦距: 12.7mm
感应角度: 120°
感应距离: 5m



型号: YY-3015-8
尺寸: 30*15.7*0.8
焦距: 8mm
感应角度: 110°
感应距离: 8-10m



型号: YY-NL01
尺寸: Ø32.8*4.73
焦距: 10mm
感应角度: 120°
感应距离: 7-9m




型号: YY-B01
尺寸: Ø22*7.5
焦距: 7.7mm
感应角度: 100°
感应距离: 6-8m



型号: YY-A01
尺寸: Ø19.5*8.3
焦距: 8.5mm
感应角度: 12°
感应距离: 6-8m



型号:YY-2517
尺寸: 24.7*15*6.6
焦距: 12mm
感应角度: 120°
感应距离: 8m




型号:XH-01
尺寸: 5.56*2.5
焦距: 2mm
感应角度: 90°
感应距离: 2m



型号:XH-02
尺寸: 5.58*2.63
焦距: 2mm
感应角度: 60°
感应距离: 2.5m



型号:YY-8007
尺寸: Ø10
焦距: 4.5mm
感应角度: 120°
感应距离: 3-4m




型号:YY-2311
尺寸: Ø23.22*12
焦距: 11mm
感应角度: 120°
感应距离: 10m
无纹区朝下, 放置 1.2m,
可防宠



型号:YY-1708-W
尺寸: Ø17.5
焦距: 9.5mm
感应角度: 110°
感应距离: 9.5m



型号:YY2412
尺寸: 27*15
焦距: 7mm
感应角度: 100-110°
感应距离: 6m



型号:LQ-01
尺寸: Ø15.5*8.45
焦距: 4mm
感应角度: 90°
感应距离: 2-3m

壁挂>1.5m(壳类)



型号: 8002-2
尺寸: 23.3*23.3*14.8
焦距: 10.5mm
感应角度: 360 °
感应距离: 10m



型号: 024120
尺寸: 23.5*23.5*17.2
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: 023101
尺寸: $\varnothing$ 23.4*11.5
焦距: 10.5mm
感应角度: 120 °
感应距离: 10m



型号: 8003-2F
尺寸: $\varnothing$ 25.3*12.5
焦距: 10.5mm
感应角度: 120 °
感应距离: 12m



型号: 8002-2W
尺寸: 23.3*23.3*14.7
焦距: 10.5mm
感应角度: 120°
感应距离: 12m




型号: 8002-1(孔)
尺寸: 23.5*23.5*19
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 023100
尺寸: 23.4*23.4*18.9
焦距: 10.5mm
感应角度: 120 °
感应距离: 10m



型号: 028140
尺寸: $\varnothing$ 28*15
焦距: 15mm
感应角度: 120 °
感应距离: 10m




型号: Q23-X-2
尺寸: 23.4*23.4
焦距: 10.5mm
感应角度: 120°
感应距离: 10m




型号: Q23-X-1
尺寸: 23.4*23.4
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号 018090-6-M
尺寸: $\Phi 18\text{mm}$
焦距: 9mm
感应角度: 120°
感应距离: 8m



型号:YY-023115-15
尺寸: $\Phi 26$
焦距: 11.5mm
感应角度: 120°
感应距离: 半径 10m



型号: YY-1003-45
尺寸: 24*24
焦距: 12mm
感应角度: 120°
感应距离: 10m



型号: YY-3518
尺寸: $\Phi 39.83*18$
焦距: 17.5mm
感应角度: 160°
感应距离: 10m



型号: YY-01
尺寸: $\Phi 21.3*6.1$
焦距: 8mm
感应角度: 120°
感应距离: 8m



型号: YY-1104
尺寸: $\Phi 27$
焦距: 8mm
感应角度: 90°
感应距离: 9m



型号: YY-2737-G
尺寸: 38.29*27.6
焦距: 10mm
感应角度: 110°
感应距离: 12m



型号: HD001-G
尺寸: 33.99*20.2
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: 7709-12
尺寸: 17.8*13.94
焦距: 10mm
感应角度: 120°
感应距离: 10m




型号: 01809-2
尺寸: 17.8*11.95
焦距: 9mm
感应角度: 120°
感应距离: 8m



型号: YY-3015
尺寸: $\Phi 34*15$
焦距: 15mm
感应角度: 135°
感应距离: 12m




型号: YY-023115-25
尺寸: $\Phi 26*17.2$
焦距: 11.5mm
感应角度: 120°
感应距离: 10m



型号: 8003-2F-X
尺寸: 25.5*12.3
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 023100 去腿
尺寸: 23.4*23.4*18.9
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 024120 去腿
尺寸: 23.5*23.5*17.2
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: 9002-1.7
尺寸: $\varnothing$ 24*20
焦距: 12mm
感应角度: 360°
感应距离: $\varnothing$ 10m



型号: 9002-1
尺寸: $\varnothing$ 24*19.2
焦距: 12mm
感应角度: 360°
感应距离: $\varnothing$ 10m



型号: NL-02
尺寸: 23.3*19
焦距: 11.6mm
感应角度: 120°
感应距离: 10m



型号: 8003-1
尺寸: $\varnothing$ 22.7*18.6
焦距: 10.5mm
感应角度: 100°
感应距离: 10m



型号: 8005-2
尺寸: $\varnothing$ 23*19.7
焦距: 11mm
感应角度: 120°
感应距离: 10m



型号: 7709-1W
尺寸: $\varnothing$ 21*17.2
焦距: 7.6mm
感应角度: 120°
感应距离: 8m




型号: 7709-2
尺寸: $\varnothing$ 17*9
焦距: 6mm
感应角度: 100°
感应距离: 6m



型号: 7709-1
尺寸: $\varnothing$ 20.7*16.9
焦距: 7.6mm
感应角度: 120°
感应距离: 8m



型号: 018090
尺寸: $\varnothing$ 17.8*13.94
焦距: 9mm
壁挂 / 吸顶 3m
感应角度: 360°
感应距离: 8m / 半径 6m



型号: 023115
尺寸: $\varnothing 26 \times 17.3$
焦距: 11.5mm
感应角度: 120°
感应距离: 10m



型号: HD003
尺寸: 32.8×20.5
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号: HD002
尺寸: 33×17.9
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号: 1/4 球
尺寸: $52.6 \times 31 \times 23.1 \times 29$
焦距: 30mm
感应角度: 120°
感应距离: 15m



型号: SB-S19
尺寸: $\varnothing 18$
焦距: 9mm
感应角度: 120°
感应距离: 8m



型号: YY-B2010
尺寸: $\varnothing 23.4 \times 13$
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号: YY-2532
尺寸: 32×25
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: YY-2311
尺寸: $\varnothing 12.5$
焦距: 11mm
感应角度: 120°
感应距离: 10m



型号: SC-01 (复眼)
尺寸: $\varnothing 30.3 \times 21.1$
焦距: 10mm
感应角度: 120°
感应距离: 8m




型号:YY-2100
尺寸: $\varnothing 21 \times 11.8$
焦距: 11mm
感应角度: 120°
感应距离: 10.8m



型号:YY-2010-20
尺寸: $\varnothing 23.6 \times 7.6$
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号:YY-3120
尺寸: 24×34.6
焦距: 23mm
感应角度: 60°
感应距离: 20m



型号:YY-3012
尺寸: $\varnothing 33.4$
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号:YY-3012-2
尺寸: $\varnothing 33.4$
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: YY-4015
尺寸: $\varnothing 43$
焦距: 15mm
感应角度: 120°
感应距离: 15m



型号:YY-RG01
尺寸: $\varnothing 39.8 \times 7.7$
焦距: 12mm
感应角度: $120^\circ - 130^\circ$
感应距离: 8m

吸顶类



型号: 13120F-2
尺寸: $\varnothing 12.5 \times 10.6$
焦距: 6mm
感应角度: 360°
感应距离: 直径 7m



型号: 13120F
尺寸: $\varnothing 14 \times 10.4$
焦距: 6mm
感应角度: 120°
感应距离: 5-6m




型号: N0803-32
尺寸: $\varnothing 16 \times 6$
焦距: 6mm
感应角度: 120°
感应距离: 5m



型号 018090-6-M
尺寸: $\Phi 18\text{mm}$
焦距: 9mm
感应角度: 360°
感应距离: 直径 9m



型号: YY-0926
尺寸: $\Phi 17$
焦距: 9mm
感应角度: 360°
感应距离: 直径 6m



型号: HM-CM0.5-7
尺寸: 26.75×26.75
焦距: 12.7mm
感应角度: 360°
感应距离: 直径 14m




型号: YY-1001
尺寸: $\Phi 17$
焦距: 6mm
感应角度: 360°
感应距离: 直径 12m



型号: YY-0515
尺寸: $\Phi 34.3$
焦距: 19.1mm
感应角度: 360°
感应距离: 直径 12m




型号: YY-D248
尺寸: $\Phi 38.6$
焦距: 23mm
感应角度: 53°
感应距离: 直径 12m
高挂 12m



型号: YY-W01
尺寸: 25.6×27
焦距: 10.6mm
感应角度: 360°
感应距离: 直径 8m




型号: DJ-23
尺寸: $\Phi 22 \times 8.8$
焦距: 10mm
感应角度: 360°
感应距离: 直径 12m




型号: 2915
尺寸: $28.7 \times 21.7 \times 15$
焦距: 10mm
感应角度: 360°
感应距离: 半径 8m



型号: 01809-2
尺寸: 17.8*11.95
焦距: 9mm
感应角度: 120°
感应距离: 8m



型号: 3517
尺寸: 39.2*17.7
焦距: 15mm
感应角度: 120°
感应距离: 10m




型号: 8605-3G
尺寸: $\phi 44.5 \times 12.2$
焦距: 15mm
吸顶 3M
感应角度: 360°
感应直径: 12m



型号: S-23115
尺寸: $\phi 23.4 \times 18.3$
焦距: 10.5mm
感应角度: 360°
感应距离: 直径 10m



型号: 8003-4
尺寸: $\phi 23.2 \times 18.8$
焦距: 10mm
感应角度: 120°
感应距离: 10m



型号: YY-6725
尺寸: $\phi 69.6 \times 71.3$
焦距: 20mm
感应角度: 360°
感应距离: 直径 20m



型号: YY-6030
尺寸: $\phi 63 \times 64.49$
焦距: 29.8mm
感应角度: 360°
感应距离: 直径 16m



型号: YY-1715
尺寸: $\phi 17$
焦距: 6mm
感应角度: 360°
感应距离: 直径 10m



型号: X-23115-1
尺寸: $\phi 25.5$
焦距: 10.5mm
感应角度: 360°
感应距离: 直径 10m




型号: YY-2120
尺寸: $\phi 21$
焦距: 10mm
感应角度: 360°
感应距离: 直径 10m




型号: 018090-LW
尺寸: $\phi 18.08 \times 13.94$
焦距: 9mm
感应角度: 140°
感应距离: 半径 8m



型号: 8120-5BL
尺寸: $\phi 14.2 \times 6.6$
焦距: 6mm
感应角度: 360°
感应距离: $\phi 10m$




型号: 7709-4
尺寸: ϕ 23.7*12.9
焦距: 11mm
感应角度: 120°
感应距离: 10m



型号: 8003-2F-X
尺寸: 25.5*12.3
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 023100 去腿
尺寸: 23.4*23.4*18.9
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 024120 去腿
尺寸: 23.57*23.5*17.2
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: 9002-1.7
尺寸: ϕ 24*20
焦距: 12mm
感应角度: 360 °
感应距离: ϕ 10m



型号: 9002-1
尺寸: ϕ 24*19.2
焦距: 12mm
感应角度: 360 °
感应距离: ϕ 10m



型号: NL-02
尺寸: 23.3*19
焦距: 11.6mm
感应角度: 120°
感应距离: 10m




型号: 8003-1
尺寸: ϕ 22.7*18.6
焦距: 10.5mm
感应角度: 100°
感应距离: 10m



型号: 8005-2
尺寸: ϕ 23*19.7
焦距: 11mm
感应角度: 120°
感应距离: 10m



型号: 2134-1
尺寸: 26.8*15*17.1
焦距: 7.5mm
感应角度: 120 °
感应距离: 5m



型号: 2136-1
尺寸: 23.8*16.3*13.1
焦距: 7.5mm
感应角度: 120 °
感应距离: 6m




型号: 2135-1
尺寸: 25*15*17
焦距: 7.5mm
感应角度: 120 °
感应距离: 6m



型号: 8308-6
尺寸: 13.6*15.5
焦距: 9.6mm
感应角度: 90°
感应距离: 8m




型号: 8308-2
尺寸: $\varnothing$ 11.5*14.5
焦距: 6mm
感应角度: 60°
感应距离: 5m



型号: 018090
尺寸: $\varnothing$ 17.8*13.94
焦距: 9mm
壁挂 / 吸顶 3m
感应角度: 360°
感应距离: 8m / 半径 6m



型号: 023115
尺寸: $\varnothing$ 26*17.3
焦距: 11.5mm
感应角度: 360°
感应距离: 直径 10m



型号: 8605-2
尺寸: $\varnothing$ 44.5*12.2
焦距: 15mm
感应角度: 360°
感应距离: 5m



型号: 8102-4
尺寸: $\varnothing$ 43.1*4.5
焦距: 15mm
吸顶 3M/5M
感应角度: 360°
感应直径: 8m/14m




型号: 8102-2
尺寸: $\varnothing$ 49*2.6
焦距: 15mm
吸顶 2.5m
感应角度: 360°
感应距离: 直径 7m




型号: 8605-5
尺寸: $\varnothing$ 45.7*12.4
焦距: 15mm
吸顶 2.5M
感应角度: 360°
感应直径: 10m




型号: 8605-1
尺寸: $\varnothing$ 43*12.4
焦距: 15mm
感应角度: 360°
感应直径: 10m




型号: 8605-3
尺寸: $\varnothing$ 44.5*12.2
焦距: 15mm
感应角度: 100°
感应距离: 直径 12m



型号: 8603-6
尺寸: $\varnothing$ 45*11
焦距: 17.5mm
感应角度: 360°
感应距离: 直径 12m



型号: 8603-4
尺寸: $\varnothing$ 45*11
焦距: 17.5mm
感应角度: 360°
感应距离: 直径 12m




型号: 8604-5
尺寸: $\varnothing 52.5 \times 7.9$
焦距: 18mm
感应角度: 360°
感应半径: 7m
吸顶 2.5M




型号: 8603-3
尺寸: $\varnothing 45.9 \times 11.4$
焦距: 17.5mm
感应角度: 360°
感应距离: 直径 10m



型号: 8605-3W
尺寸: $\varnothing 43.6 \times 11.4$
焦距: 15mm
吸顶 2.5M
感应角度: 360°
感应直径: 10m




型号: 8605-2B
尺寸: $\varnothing 35.7 \times 11.5$
焦距: 15mm
感应角度: 360°
感应距离: $\varnothing 10m$



型号: 8603-4A
尺寸: $\varnothing 35.6 \times 11$
焦距: 17.5mm
感应角度: 360°
感应距离: 直径 12m



型号: Q10050
尺寸: $\varnothing 100 \times 58$
焦距: 50mm
感应角度: 360°
感应直径: 12m
吸顶 3M



型号: 四联探头
尺寸: $76.6 \times 76.6 \times 33.8$
焦距: 30mm
感应角度: 360°
感应距离: 半径 19m
吸顶 8M



型号: Q70
尺寸: $\varnothing 70 \times 35$
焦距: 35mm
感应角度: 360°
感应距离: 直径 10m
吸顶 3.5M



型号: 8121-4
尺寸: $\varnothing 9.8$
焦距: 5.2mm
感应角度: 360°
感应距离: 半径 4.5m



型号: 8121-3
尺寸: $\varnothing 9.8$
焦距: 5.2mm
感应角度: 360°
感应距离: 半径 2.5m



型号: YY-5316-F
尺寸: $\varnothing 53 \times 11.6$
焦距: 20mm
感应角度: 360°
感应距离: 直径 12m
吸顶 6m



型号: YY-5316-L
尺寸: $\varnothing 53 \times 10.8$
焦距: 18mm
感应角度: 360°
感应距离: 直径 12m
吸顶 8m



型号: TZ-9812
 尺寸: $\varnothing 14 \times 11.1$ (加底座)
 焦距: 6.5mm
 感应角度: 360°
 感应距离: 直径 9m



型号: HF-4
 尺寸: $80.2 \times 80.2 \times 21.1$
 焦距: 14mm
 感应角度: 360°
 感应距离: 12-15m
 4 颗 PIR
 吸顶 3m



型号: YY-B2010
 尺寸: $\varnothing 23.4 \times 13$
 焦距: 10mm
 感应角度: 360°
 感应距离: 半径 5m



型号: SB-S19
 尺寸: $\varnothing 18$
 焦距: 9mm
 感应角度: 360°
 感应距离: 直径 8m



型号: 29207
 尺寸: $\varnothing 29.4 \times 7.53$
 焦距: 8mm
 感应角度: 120°
 感应距离: 8m



型号: 4424
 尺寸: $\varnothing 51.5 \times 23$
 焦距: 24mm
 感应角度: 360°
 感应距离: 半径 12m



型号: SR-001
 尺寸: $\varnothing 44 \times 15.09$
 焦距: 15mm
 感应角度: 360°
 感应距离: 半径 8m




型号: TZ-360
 尺寸: $\varnothing 50 \times 25$
 焦距: 13.58mm
 感应角度: 360°
 感应距离: 半径 10m
 吸顶 2.5m, 3 颗 PIR



型号: 7906-20-G3
 尺寸: $\varnothing 52.5$
 焦距: 19.6mm
 感应角度: 360°
 感应距离: 半径 5.9m



型号: 8120-5CL
 尺寸: $\varnothing 13 \times 8.65$
 焦距: 6mm
 感应角度: 360°
 感应距离: 直径 8m



型号: HM-CM0.5-45
 尺寸: $\varnothing 26.75$
 焦距: 12.7mm
 感应角度: 360°
 感应距离: 直径 18m



型号: 8605-12
 尺寸: $\varnothing 43.8$
 焦距: 17mm
 感应角度: 360°
 感应距离: 直径 10m



型号:YY-D54-25
尺寸: $\varnothing 63.6$
焦距: 25.4mm
感应角度: 360°
感应距离: 半径 3.7m



型号: 023101
尺寸: $\varnothing 23.4 \times 11.5$
焦距: 10.5mm
感应角度: 120°
感应距离: 10m




型号: 8003-2F
尺寸: $\varnothing 25.3 \times 12.5$
焦距: 10.5mm
感应角度: 120°
感应距离: 12m



型号: 8002-2W
尺寸: 23.3*23.3*14.7
焦距: 10.5mm
感应角度: 120°
感应距离: 12m



型号: 8002-2
尺寸: 23.3*23.3*14.8
焦距: 10.5mm
感应角度: 110°
感应距离: 11m



型号: 8002-1(孔)
尺寸: 23.5*23.5*19
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 023100
尺寸: 23.4*23.4*18.9
焦距: 10.5mm
感应角度: 120°
感应距离: 10m



型号: 024120
尺寸: 23.5*23.5*17.2
焦距: 12mm
感应角度: 120°
感应距离: 12m



型号: 028140
尺寸: $\varnothing 28 \times 15$
焦距: 15mm
感应角度: 120°
感应距离: 10m



型号: 8308-8
尺寸: 10.4*9.5
焦距: 4mm
感应角度: 360°
感应距离: 半径 5m



型号:YY-1201
尺寸: $\varnothing 17$
焦距: 8mm
感应角度: 360°
感应距离: 7m
吸顶 4m



型号:YY-1204
尺寸: $\varnothing 33.6$
焦距: 18mm
感应角度: 360°
感应距离: 14m
吸顶 10m



型号:YY-1202
尺寸: $\varnothing 22.4$
焦距: 11mm
感应角度: 360°
感应距离: 10m
吸顶 6m



型号:YY-D36
尺寸: $\varnothing 36 \times 7.2$
焦距: 17.5mm
感应角度: 360°
感应距离: 10m



型号:13120-S19
尺寸: $\varnothing 14$
焦距: 6mm
感应角度: 120°
感应距离: 6m




型号:8603-6G
尺寸: $\varnothing 38.8$
焦距: 17.5mm
感应角度: 360°
感应距离: 14m



型号:YY-D52
尺寸: $\varnothing 52$
焦距: 17mm
感应角度: 240°
感应距离: 17m
备注: 适用于泛光灯



型号:YY-V6
尺寸: $\varnothing 52.5$
焦距: 19.5mm
感应角度: 360°
感应距离: 8m



型号:YY-B02
尺寸: $\varnothing 22 \times 7.5$
焦距: 7.7mm
感应角度: 360°
感应距离: 6m



型号:YY-1508
尺寸: $\varnothing 16.8 \times 12.05$
焦距: 7.5mm
感应角度: 360°
感应距离: 2.5m



型号:YY-A02
尺寸: $\varnothing 19.5 \times 8.3$
焦距: 8.5mm
感应角度: 360°
感应距离: 8m